


Perforated Plate Sieves



Endecotts manufacture a wide range of perforated plate sieves for the many industries that require them. These are available in diameter sizes of 200, 300, 400 and 450 mm. Aperture sizes range from 125 mm to 4 mm in square hole and 125 mm to 1 mm in round hole. Perforated plate sieves can be supplied in frame materials of brass or stainless steel. They are manufactured to the highest engineering standards to ensure quality and accuracy.

Perforated plate sieves are available to every national and international standard.

Microplate Sieves



For very fine particle analysis Endecotts produce a range of microplate sieves made from electro-formed nickel plate in stainless steel frames of 100 mm or 200 mm diameter. Available with unique self clearing apertures sizes from 75 to 5 microns. Microplate sieves are supplied with either square (standard) or round (on request) holes.

Other aperture sizes, sieve diameters and sieve depths can be supplied as required. It is recommended that microplate sieves are used in conjunction with a liquid medium to assist the passage of extremely fine particles through the apertures. In certain cases where this is not possible it is often found that a compatible shaker can speed up the analysis, while maintaining a high degree of accuracy.

Endecotts standard lids & receivers can be used with the microplate sieves.

Perforated Plate Series ISO 3310-2

Nominal Aperture Sizes Round & Square Holes [mm]

125.00	71.00	37.50	20.00	11.20	6.30
112.00	63.00	35.50	19.00	10.00	5.60
106.00	56.00	31.50	18.00	9.50	5.00
100.00	53.00	28.00	16.00	9.00	4.75
90.00	50.00	26.50	14.00	8.00	4.50
80.00	45.00	25.00	13.20	7.10	4.00
75.00	40.00	22.40	12.50	6.70	

Nominal Aperture Sizes Round Hole Only [mm]

3.55	2.80	2.24	1.70	1.25	1.00
3.35	2.50	2.00	1.60	1.18	
3.15	2.36	1.80	1.40	1.12	

Microplate Sieves ISO 3310-3

Nominal Aperture Sizes [µm]

200	100	50	20
180	90	45	16
160	80	40	10
140	71	36	5
125	63	32	
112	56	25	